

Please leave your phone outside: policymakers and medical app providers are encouraging patient participation, but doctors in the consult room are not

Lucinda Roper,¹ Christine Jorm²

¹Centre for Big Data Research in Health, Kensington, New South Wales, Australia
²University of Sydney, The University of Sydney Medical School, Sydney, New South Wales, Australia

Correspondence to

Lucinda Roper, Centre for Big Data Research in Health, Level 1, AGSM Building, UNSW, Kensington, NSW 2052, Australia; roper.lucinda@gmail.com

Accepted 7 March 2017

INTRODUCTION

Innovative medical apps are developing apace and being recommended to patients by clinicians,¹⁻⁴ yet patients' pre-existing and autonomous engagement with internet information is not widely accepted into the consultation. Mainstream medical practice has not yet adapted to the ubiquitous use of the internet by patients. In failing to embrace the internet-informed patient (IIP), the medical community fails to maximise the learning opportunities that accessible, high-quality information offers patients. It also fails to support doctors who are frustrated or overwhelmed by the IIP. Most critically, this means we fail to provide truly patient-centred care; the patient's decision to search for information, the types and amount of information obtained and choice to discuss this information with a doctor reveal a great deal about what matters to the patient.

DEFINITIONS

Information literacy (IL) is: 'an understanding and a set of abilities enabling individuals to recognise when information is needed and have the capacity to locate, evaluate, and use effectively the needed information'.⁵

The IIP is: a highly informed patient, possibly confused by the rich range of information available, and who may be dynamically interacting with the web around their problem, for example, undertaking self-assessment and seeking support and advice from internet communities. (Definition developed from

integration of major elements from the evolving literature.)

There is an extensive body of research on doctors' reaction to IIP. Researchers have found that some doctors enjoy the challenge of an IIP and are positive about the potential for greater patient education and involvement generated by the internet.⁶ Unfortunately, reports of negative reactions to IIP currently dominate, with the literature reporting doctors' reactions as frustration, irritation and even outright disgust. The online activities of an IIP are casually disparaged (eg, by sarcastic 'Dr Google' comments), or simply ignored. There is an urgent need to help medical students and junior doctors put aside their negative responses and instead learn how to add value to the healthcare experience of the contemporary IIP. Yet educational interventions designed to change attitudes and give medical students or doctors the skills to better work with IIP are currently lacking.⁷ This may be because the most challenging aspect of an IIP is when they present information beyond a doctor's scope of knowledge and while junior doctors and general practitioners can expect to be challenged by an IIP, the more senior or subspecialist doctors usually will not. These experts, in designing medical curricula, may not be able to understand what a modern neophyte needs.

This article will first report on what is known about how doctors and IIPs interact. Second, we propose a set of practical, implementable teaching activities, using a theoretically grounded approach and informed by exploratory research.

To cite: Roper L, Jorm C. *BMJ Innov* Published Online First: [please include Day Month Year] doi:10.1136/bmjinnov-2016-000134

COMMENTARY

Table 1 Summary of research on the interaction between IIPs and doctors.

Method	Literature
Primary research	
Survey or semistructured interview of patients	17 ^{8–24}
Survey or semistructured interview of doctors	13 ^{25–37}
Survey or semistructured interview of doctors <i>and</i> patients	3 ^{38–40}
Observational study (plus interviews)	2 ^{6 41}
Novel methodology	2 ^{42 43}
Literature review	7 ^{29 44–49}
Opinion piece	5 ^{50–54}

PATIENTS' USE OF THE INTERNET FOR HEALTH INFORMATION AND THE PATIENT–DOCTOR RELATIONSHIP

A search was undertaken using a snowballing strategy (appropriate in this field, which has a large variation in the nomenclature and field of publication) and continued until saturation was reached. Initial search terms included 'Internet Informed Patient', 'E-Patient', 'Patient-Doctor Communication', 'Internet', 'Health Information', 'Patient-Health Professional Relationship'. The search was limited to papers written in 2000–2016, in English, published in peer-reviewed journals, with a focus on how patients' use of the internet for health information impacts on the patient–doctor relationship. [Table 1](#) provides a summary of the 41 original papers and 2 book chapters identified.

Researchers took a comprehensive observational approach in just two studies, interviewing patients preappointment and postappointment and also audio recording or observing the consultation.^{6 41} Most research was attitudinal and two prominent themes emerged from the attitudinal literature: the negative reactions reported by patients and doctors' justifications for such reactions.

Patients report negative interactions

Surveys and interviews consistently find that some patients feel that their doctor responds coldly or defensively when internet-sourced information is mentioned.^{8 11 16 27 32} This frustrates and humiliates patients, negatively impacts their relationship with their doctor and increases the chance that they will not share internet-sourced information in the future.^{16 18 27 38 55}

Reasons why doctors respond negatively

The two major reasons why doctors respond negatively are shortage of time^{16 25 26 30 34 38 56} and a sense of embarrassment and anxiety when patients bring accurate, highly specialised information outside of their area of expertise.^{25 28}

CHANGING THE NEGATIVE RESPONSE

Informed by these data on why doctors may respond negatively, we used a theoretically grounded approach

to formulate a plan for an educational intervention for medical students, to help them welcome the patient's digital self into the consultation room. The Theory of Planned Behaviour provides a framework to understand and predict adult behaviour.^{57 58} It considers three domains to be important: subjective norms, attitude towards the behaviour and perceived power.

Influencing 'subjective norms'

Hospital-based teaching means that students are not likely to feel that engaging with the IIP is 'normal'. This kind of hidden curriculum is powerful.⁵⁹ Students may be exposed to poor role-modelling as much of clinical teaching is led by specialists practising in tertiary referral settings. The information needs of most patients (who live independently and self-manage chronic conditions) are very different from the needs of those whom students encounter in hospital.

We suggest student reflection on communication practice around IIPs is encouraged, when learning in primary and community care. Over 50% of Australian general practitioners claim to use a trusted website as an 'ally' when managing IIP.⁶⁰ This may be referred to as an 'internet prescription' and can be associated with a high level of patient satisfaction.^{61 62} Internet prescriptions only facilitate one-way communication between doctors and patients about health information on the internet, and do not challenge the historical patient–doctor power relationship. Nevertheless, this is a positive, early step towards a shared conversation between doctors and IIP. We suggest asking students: 'What do you see when sitting in a surgery?' and 'How would you judge the effectiveness of the patient–doctor interaction concerning internet health information?'

Influencing attitude towards behaviour

A good start to influencing students' attitudes towards IIPs is to uncover your students' pre-existing attitudes and beliefs. We asked our first-year medical students questions as part of an evaluation of a new IL module. In 2013 and 2014, 225 and 202 students, respectively, completed the survey—a response rate of 74% and 68%. While 92% and 93% believed that doctors needed to be better than patients at finding health and medical information, only 53% and 60% thought doctors should guide their patients in how to research their conditions and treatments on the internet and only 62% and 60% thought it was appropriate for a doctor to look up health and medical information during the patient consultation. Results of this kind can be used to facilitate discussion with your students. Other possible questions include: 'What information literacy skills can be expected from patients?' and 'What can be learnt from the patients' choice to raise internet-sourced information in a consultation?'

Once attitudes are uncovered, it is logical to integrate teaching on IIP into ethics or professionalism lectures that discuss patient-centred care. The patient's decision to search for information, the types and amount of information obtained and choice to discuss this information with a doctor reveal a great deal about what matters to the patient. However, for maximum influence on students' attitudes towards IIP, why not design an experience that makes IL personal? It is known that personal evaluation of behavioural outcomes heavily influences the 'attitude towards behaviour'.⁵⁷ An interprofessional role-play activity may allow students to personally experience the importance of practitioner response to IIP. Medical and physiotherapy students could be paired, the medical student given a complex set of musculoskeletal symptoms (beyond their knowledge base). Students would be instructed to treat the symptoms as if they were their own and attempt to research these prior to the 'consultation'. The exercise could then be repeated vice versa. These personal experiences as an IIP could have a profound impact on how students treat patients in the future.

Influencing students' perceived power (ability to engage with IIPs)

Skills in IL provide medical students with the self-confidence to manage the feelings of threat and anxiety that an IIP may provoke. An efficient and masterly search of the internet in front of a patient is a powerful (and efficient) way to manage disputation about veracity and accuracy of patient-sourced information. The time-poor doctor especially needs these skills. Ideally, this could be combined with a non-defensive, non-patronising statement, for example:

Let's look it up together now to be sure we both have the most up-to-date information.

To start influencing students' perceived power to manage such interactions, we recommend formally assessing students' IL skills. Medical students tend to overestimate their own IL skills, which are often quite poor and there is minimal formal assessment of these skills in most medical programmes.^{63–65} Many medical schools place IL tutorials early in the programme and focus on academic research skills (eg, the use of MEDLINE). We propose creating authentic learning environments for IL teaching, for example, time-limited, online tasks based on situations frequently encountered in primary care.⁶⁶ We suggest that IL experts be involved in such teaching.

Keystroke tracking software could enable formative assessment of students. While students with erratic search strategies may find correct information eventually, this is inefficient and also disempowering. Keystroke tracking enables students to accurately revisit their internet search journey (often based on heuristics and otherwise quickly forgotten). Small

group discussion may allow students to share their knowledge of 'shortcuts' and explain their reasoning (or lack thereof) at different stages in the search. Alternatively, 'real-time' information searches by students, on a projected screen in front of their peers, would be similarly effective, if followed by group discussion and critique. The appearance of a logical strategy will enable patients to feel confident in the internet information sourced by their practitioner. This is particularly important if the practitioner shares their screen with the patient. This may become commonplace in the future, even in hospitals—double-sided iPads are being trialled in Finland, to increase patient engagement on ward visits. Patients can observe what the doctor is doing on the second display on the back side of the iPad.⁶⁷

Students will need communicative strategies, as well as advanced IL skills, to manage IIP. Students should feel comfortable admitting when they do not know. We suggest developing phrasing to help manage such awkwardness, for example:

That is very interesting. I have not read that particular paper. [insert fact eg, "did you know that the pace of new knowledge generation is such that if you were to spend 24 hours a day reading every new medical paper published, you would never stop reading"]

Finally, we need to help students put attitudes, communication strategies and IL skills together. There are multiple steps in any communicative exchange with an IIP, including appraisal of information that is presented, communication of this appraisal, negotiation of expectations and differences in opinions with patients and self-awareness of challenge to expertise. An OSCE could test several or all of the engagement steps shown in [figure 1](#).

CONCLUSION

Technology-based clinical innovations are being created at an enormous rate, but we are not yet taking advantage of existing innovations in doctor–patient interactions. There may be a remedy—if student attitudes are modified, if students develop good IL skills and complementary communication skills, then the care they offer to patients will be better and the quality of the doctor–patient relationship enhanced. We suggest that teaching focuses on changing attitudes, as doctors' prevailing attitudes to IIP are negative and this may be passed on to students through the hidden curriculum. Indeed, our own exploratory research indicates that some students have negative attitudes to interacting with IIP. Students also need to learn the IL and communication skills required to manage IIP. They should be encouraged to translate these into practice, regardless of what doctors around them currently do. With a shift in attitudes, new skills and assessed practice, future doctors will be better

COMMENTARY




Figure 1 An OSCE could test several or all of the engagement steps shown in the diagram.

equipped to partner with patients on the next stages of the digital revolution in healthcare.

Contributors CJ conceived the topic of the paper and organised the research involving medical students in her faculty. LR drafted the paper and conceived the educational strategies in the paper.

Competing interests None declared.

Ethics approval Sydney Medical Faculty Research Support Unit.

Provenance and peer review Not commissioned; externally peer reviewed.

REFERENCES

- Anderson JK, Wallace LM. Applying the Behavioural Intervention Technologies model to the development of a smartphone application (app) supporting young peoples' adherence to anaphylaxis action plan. *BMJ Innov* 2015;1:67–73.
- Zhang MW, Ho RC. Mental health wellness application: a new toolkit for psychological wellness. *BMJ Innov* 2015;1:204–5.
- Zhang MW, Yeo LL, Ho RC. Harnessing smartphone technologies for stroke care, rehabilitation and beyond. *BMJ Innov* 2015;1:145–50.
- Zhang MW, Ward J, Ying JJ, *et al.* The alcohol tracker application: an initial evaluation of user preferences. *BMJ Innov* 2016;2:8–13.
- Librarians C.o.A.U. *Information Literacy Standards*. Council of Australian University Librarians Canberra, 2001.
- Stacey CL, Henderson S, MacArthur KR, *et al.* Demanding patient or demanding encounter?: a case study of a cancer clinic. *Soc Sci Med* 2009;69:729–37.
- Masters K. The e-patient and medical students. *Med Teach* 2016;38:314–6.
- Bowes P, Stevenson F, Ahluwalia S, *et al.* 'I need her to be a doctor': patients' experiences of presenting health information from the internet in GP consultations. *Br J Gen Pract* 2012;62:e732–8.
- Broom A. Virtually he@lthy: the impact of internet use on disease experience and the doctor–patient relationship. *Qual Health Res* 2005;15:325–45.
- Chiu YC. Probing, impelling, but not offending doctors: the role of the internet as an information source for patients' interactions with doctors. *Qual Health Res* 2011;21:1658–66.
- Henwood F, Wyatt S, Hart A, *et al.* 'Ignorance is bliss sometimes': constraints on the emergence of the 'informed patient' in the changing landscapes of health information. *Sociol Health Illn* 2003;25:589–607.
- Rupert DJ, Moultrie RR, Read JG, *et al.* Perceived healthcare provider reactions to patient and caregiver use of online health communities. *Patient Educ Couns* 2014;96:320–6.
- Silver MP. Patient perspectives on online health information and communication with doctors: a qualitative study of patients 50 years old and over. *J Med Internet Res* 2015;17:e19.
- Stevenson FA, Kerr C, Murray E, *et al.* Information from the Internet and the doctor–patient relationship: the patient perspective—a qualitative study. *BMC Fam Pract* 2007;8:47.
- Bylund CL, Gueguen JA, Sabee CM, *et al.* Provider–patient dialogue about Internet health information: an exploration of strategies to improve the provider–patient relationship. *Patient Educ Couns* 2007;66:346–52.
- Chung JE. Patient–provider discussion of online health information: results from the 2007 Health Information National Trends Survey (HINTS). *J Health Commun* 2013;18:627–48.
- Diaz JA, Sciamanna CN, Evangelou E, *et al.* Brief report: What types of Internet guidance do patients want from their physicians? *J Gen Intern Med* 2005;20:683–5.
- Imes RS, Bylund CL, Sabee CM, *et al.* Patients' reasons for refraining from discussing internet health information with their healthcare providers. *Health Commun* 2008;23:538–47.
- Koch-Weser S, Bradshaw YS, Gualtieri L, *et al.* The Internet as a health information source: findings from the 2007 Health Information National Trends Survey and implications for health communication. *J Health Commun* 2010;15(Suppl 3):279–93.
- Marin-Torres V, Valverde Aliaga J, Sánchez Miró I, *et al.* Internet as an information source for health in primary care

- patients and its influence on the physician–patient relationship. *Aten Primaria* 2013;45:46–53.
- 21 Ledford CJW, Cafferty LA, Russell TC. The influence of health literacy and patient activation on patient information seeking and sharing. *J Health Commun* 2015;20(Suppl 2):77–82.
 - 22 Rider T, Malik M, Chevassut T. Haematology patients and the internet—the use of on-line health information and the impact on the patient–doctor relationship. *Patient Educ Couns* 2014;97:223–38.
 - 23 Savage SV, Kwan S, Bergstrand K. Virtual health: the impact of health-related websites on patient–doctor interactions. In: Kronenfeld JJ (ed) *Technology, communication, disparities and government options in health and health care services (Research in the sociology of health care, Vol 32)*. Emerald Group Publishing Limited, 2014: 93–116.
 - 24 Xie B, Wang M, Feldman R, *et al*. Internet use frequency and patient-centered care: measuring patient preferences for participation using the health information wants questionnaire. *J Med Internet Res* 2013;15:e132.
 - 25 Ahluwalia S, Murray E, Stevenson F, *et al*. ‘A heartbeat moment’: qualitative study of GP views of patients bringing health information from the internet to a consultation. *Br J Gen Pract* 2010;60:88–94.
 - 26 Ahmad F, Hudak PL, Bercovitz K, *et al*. Are physicians ready for patients with Internet-based health information? *J Med Internet Res* 2006;8:e22.
 - 27 Broom A. Medical specialists’ accounts of the impact of the Internet on the doctor/patient relationship. *Health (London)* 2005;9:319–38.
 - 28 Caiata-Zufferey M, Schulz PJ. Physicians’ communicative strategies in interacting with Internet-informed patients: results from a qualitative study. *Health Commun* 2012;27:738–49.
 - 29 Giveon S, Yape J, Hekselman I, *et al*. The e-patient: a survey of Israeli primary care physicians’ responses to patients’ use of online information during the consultation. *Isr Med Assoc J* 2009;11:537–41.
 - 30 Woodward-Kron R, Connor M, Schulz PJ, *et al*. Educating the patient for health care communication in the age of the world wide web: a qualitative study. *Acad Med* 2014;89:318–25.
 - 31 Dilliwai G, Maudsley G. Patients bringing information to primary care consultations: a cross-sectional (questionnaire) study of doctors’ and nurses’ views of its impact. *J Eval Clin Pract* 2008;14:545–7.
 - 32 Fujioka Y, Stewart E. How do physicians discuss e-Health with patients? The relationship of physicians’ e-health beliefs to physician mediation styles. *Health Commun* 2013;28:317–28.
 - 33 Helft PR, Hlubocky F, Daugherty CK. American oncologists’ views of internet use by cancer patients: a mail survey of American Society of Clinical Oncology members. *J Clin Oncol* 2003;21:942–7.
 - 34 Kim J, Kim S. Physicians’ perception of the effects of Internet health information on the doctor–patient relationship. *Inform Health Soc Care* 2009;34:136–48.
 - 35 Moick M, Terlutter R. Physicians’ motives for professional internet use and differences in attitudes toward the internet-informed patient, physician–patient communication, and prescribing behavior. *Medicine 2.0* 2012;1:e2.
 - 36 Murray E, Lo B, Pollack L, *et al*. The impact of health information on the Internet on health care and the physician-patient relationship: national U.S. survey among 1.050 U.S. physicians. *J Med Internet Res* 2003;5:e17.
 - 37 Potts HW, Wyatt JC. Survey of doctors’ experience of patients using the Internet. *J Med Internet Res* 2002;4:e5.
 - 38 Sommerhalder K, Abraham A, Zufferey MC, *et al*. Internet information and medical consultations: experiences from patients’ and physicians’ perspectives. *Patient Educ Couns* 2009;77:266–71.
 - 39 Townsend A, Leese J, Adam P, *et al*. eHealth, participatory medicine, and ethical care: a focus group study of patients’ and health care providers’ use of health-related internet information. *J Med Internet Res* 2015;17:e155.
 - 40 Davies E, Yeoh KW. Internet chemotherapy information: impact on patients and health professionals. *Br J Cancer* 2012;106:651–7.
 - 41 Hay MC, Strathmann C, Lieber E, *et al*. Why patients go online: multiple sclerosis, the internet, and physician–patient communication. *Neurologist* 2008;14:374–81.
 - 42 Anderson JG, Rainey MR, Eysenbach G. The impact of CyberHealthcare on the physician–patient relationship. *J Med Syst* 2003;27:67–84.
 - 43 Xie B, Dilts DM, Shor M. The physician–patient relationship: the impact of patient-obtained medical information. *Health Econ* 2006;15:813–34.
 - 44 Ball MJ, Lillis J. E-health: transforming the physician/patient relationship. *Int J Med Inform* 2001;61:1–10.
 - 45 McMullan M. Patients using the Internet to obtain health information: how this affects the patient–health professional relationship. *Patient Educ Couns* 2006;63:24–8.
 - 46 Rice RE, Katz JE. Physician practice and patient interaction. In: Murero M and Rice RE (eds) *The Internet and health care: theory, research, and practice*. Routledge, 2013:149–176.
 - 47 Sechrest RC. The internet and the physician–patient relationship. *Clin Orthop Relat Res* 2010;468:2566–71.
 - 48 Tofan G, Bodolica V, Spraggon M. Governance mechanisms in the physician–patient relationship: a literature review and conceptual framework. *Health Expect* 2013;16:14–31.
 - 49 Wald HS, Dube CE, Anthony DC. Untangling the Web—the impact of Internet use on health care and the physician–patient relationship. *Patient Educ Couns* 2007;68:218–24.
 - 50 Hartzband P, Groopman J. Untangling the Web—patients, doctors, and the Internet. *N Engl J Med* 2010;362:1063–6.
 - 51 Kassirer JP. Patients, physicians, and the Internet. *Health Affairs* 2000;19:115–23.
 - 52 Lo B, Parham L. The impact of web 2.0 on the doctor–patient relationship. *J Law Med Ethics* 2010;38:17–26.
 - 53 Truog RD. Patients and doctors—the evolution of a relationship. *N Engl J Med* 2012;366:581–5.
 - 54 Vanderminden J, Potter SJ. Challenges to the doctor–patient relationship in the twenty-first century. In: Cockerham WC (ed) *The new Blackwell companion to medical sociology*. Wiley-Blackwell, 2010:355.
 - 55 Dedding C, van Doorn R, Winkler L, *et al*. How will e-health affect patient participation in the clinic? A review of e-health studies and the current evidence for changes in the relationship between medical professionals and patients. *Soc Sci Med* 2011;72:49–53.
 - 56 Hart A, Henwood F, Wyatt S. The role of the Internet in patient–practitioner relationships: findings from a qualitative research study. *J Med Internet Res* 2004;6:e36.
 - 57 Ajzen I. Theory of planned behavior. *Handb Theor Soc Psychol Vol One* 2011;1:438.
 - 58 Godin G, Bélanger-Gravel A, Eccles M, *et al*. Healthcare professionals’ intentions and behaviours: a systematic review of

COMMENTARY

- studies based on social cognitive theories. *Implement Sci* 2008;3:36.
- 59 Michalec B, Hafferty FW. Medical education and the hidden curriculum. In: Cockerham WC, Dingwall R, Quah SR (eds) *The Wiley Blackwell encyclopedia of health, illness, behavior, and society*. Wiley-Blackwell, 2014.
- 60 Sim MG, Khong E, Jiwa M. Does general practice Google? *Aust Fam Physician* 2008;37:471.
- 61 Coberly E, Boren SA, Davis JW, *et al*. Linking clinic patients to Internet-based, condition-specific information prescriptions. *J Med Libr Assoc* 2010;98:160–4.
- 62 McKnight M. Information prescriptions, 1930–2013: an international history and comprehensive review. *J Med Libr Assoc* 2014;102:271–81.
- 63 Ivanitskaya L, O’Boyle I, Casey AM. Health information literacy and competencies of information age students: results from the interactive online Research Readiness Self-Assessment (RRSA). *J Med Internet Res* 2006;8:e6.
- 64 Judd T, Kennedy G. Expediency-based practice? Medical students’ reliance on Google and Wikipedia for biomedical inquiries. *Br J Educ Technol* 2011;42:351–60.
- 65 Kingsley K, Galbraith GM, Herring M, *et al*. Why not just Google it? An assessment of information literacy skills in a biomedical science curriculum. *BMC Med Educ* 2011;11:1.
- 66 Skhal KJ. A full revolution: offering 360 degree library services to clinical clerkship students. *Med Ref Serv Q* 2008;27:249–59.
- 67 Colley A, Rantakari J, Häkkinen J. *Dual sided tablet supporting doctor–patient interaction*. Proceedings of the 18th ACM Conference Companion on Computer Supported Cooperative Work & Social Computing. ACM, 2015.



Please leave your phone outside: policymakers and medical app providers are encouraging patient participation, but doctors in the consult room are not

Lucinda Roper and Christine Jorm

BMJ Innov published online March 24, 2017

Updated information and services can be found at:

<http://innovations.bmj.com/content/early/2017/03/24/bmjinnov-2016-000134>

References

These include:

This article cites 61 articles, 8 of which you can access for free at:
<http://innovations.bmj.com/content/early/2017/03/24/bmjinnov-2016-000134#ref-list-1>

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Notes

To request permissions go to:

<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:

<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:

<http://group.bmj.com/subscribe/>