

# Systematic review of innovation design contests for health: spurring innovation and mass engagement

Stephen W Pan,<sup>1</sup> Gabriella Stein,<sup>2</sup> Barry Bayus,<sup>3</sup> Weiming Tang,<sup>1</sup> Allison Mathews,<sup>4</sup> Cheng Wang,<sup>5</sup> Chongyi Wei,<sup>6</sup> Joseph D Tucker<sup>1</sup>

► Additional material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/bmjinnov-2017-000203>).

<sup>1</sup>Social Entrepreneurship for Sexual Health, University of North Carolina Project-China Office, Guangzhou, China

<sup>2</sup>College of Arts and Sciences, University of North Carolina at Chapel Hill, Chapel Hill, North Carolina, USA

<sup>3</sup>Kenan-Flagler Business School, University of North Carolina at Chapel Hill, Chapel Hill, North Carolina, USA

<sup>4</sup>Institute for Global Health and Infectious Disease, University of North Carolina at Chapel Hill, Chapel Hill, North Carolina, USA

<sup>5</sup>Guangdong Provincial Center for STI & Skin Diseases Control, Guangzhou, China

<sup>6</sup>Department of Epidemiology, Biostatistics and Global Health, University of California, San Francisco, California, USA

## Correspondence to

Dr. Stephen W Pan; [stephen.w.pan@gmail.com](mailto:stephen.w.pan@gmail.com)

SWP and GS contributed equally.

Received 18 March 2017

Revised 24 August 2017

Accepted 29 August 2017



CrossMark

**To cite:** Pan SW, Stein G, Bayus B, et al. *BMJ Innov* Published Online First: [please include Day Month Year]. doi:10.1136/bmjinnov-2017-000203

## ABSTRACT

We undertook a systematic review evaluating the effectiveness and cost of health-focused innovation design contests. We followed Cochrane guidance and systematically searched eight databases. Articles were included if they reported an open contest focused on improving health, required participants submit finished design solutions and contained a prize structure. We searched 3579 citations, identifying 29 health-focused innovation design contests which collectively received 15494 contest submissions. Contests solicited submissions worldwide (7) and exclusively from North America (13), Asia (4), Africa (2), Australia (2) and Europe (1). Submissions per contest ranged from 3 to 11354 (median of 73). Contest entrants were tasked with helping develop health promotion messages (HPM) (25) and improve predictive clinical models, protocols and/or algorithms (4). Two types of contests emerged—those focused on high-quality, innovative outcomes and those focused on the process of mass community engagement. All outcome-oriented contests had innovation design contest solutions equivalent or superior to the comparator (100%; 7/7). Two of two studies found that innovation design contests saved money (100%; 2/2). Five of seven process-oriented contests concluded the contest improved at least one health indicator (71%; 5/7). Innovation design contests are an effective way to solicit innovative solutions to health problems and spur mass community engagement.

## INTRODUCTION

In 2011, an 11-year-old boy in the USA was living with centronuclear myopathy, a rare genetic muscle disorder, which made it impossible for him to walk. Clinicians struggled for over a decade to identify the precise genes responsible for his

condition, but without success. Then, in 2012, researchers at Boston Children's Hospital organised an open contest for researchers worldwide to identify the genes causing the young patient's physical ailment. The contest solicited genetic mapping solutions from 23 teams across the world, 8 of which successfully helped pinpoint the exact genes causing the muscle disorder in less than 9 months.<sup>1</sup> The contest helped inform future research on the genetic muscle disorder<sup>2</sup> and contributed to greater awareness about the disease.

This contest suggests that innovation design contests might be useful for improving health. We define innovation design contests as open contests that solicit finished solutions to design problems and then award prizes to finalists based on predetermined criteria.<sup>3</sup> This prize structure and requirement to submit a creative solution is largely what distinguishes innovation contests from crowdsourcing models in general.<sup>4</sup> Innovation design contests have been used by public, non-profit and private organisations to shape health campaigns targeting issues ranging from cardiac arrest to cancer.<sup>5 6</sup> Innovation design contests are also being used with greater frequency.<sup>7</sup> Between 2010 and 2013, the number of innovation design contests organised by the USA government increased by over 250%.<sup>3</sup> Such rapid growth has largely been driven by advances in information technology that now enable organisations to more widely promote contests and interact with potential contest entrants worldwide.<sup>8</sup>

Despite increased interest, recent queries of the Cochrane Database of Reviews (<http://www.cochranelibrary.com/>) and the Centre for Reviews and Dissemination (<https://www.york.ac.uk/>

crd/) indicate that there have been few systematic reviews formally evaluating the process and outcomes of health-focused innovation design contests. Such reviews are necessary for understanding when and how to implement innovation design contests for health. We undertook a systematic review of studies evaluating the effectiveness and cost of health-focused innovation design contests.


## METHODS

### Search strategy and selection criteria

On the basis of the PRISMA checklist<sup>9</sup> and Cochrane guidance,<sup>10</sup> a search algorithm was used in eight electronic databases: Pubmed, CINAHL, Embase, Web of Science, PsycINFO, the Cochrane Library, Conference Papers Index and Dissertations & Theses

Global (ProQuest). The search algorithm included the following categories: (1) health, (2) contest and (3) design. The full list of search terms is presented as supplemental data (online supplementary file 1). Databases were electronically searched 11 March 2016 without date restrictions. After articles outside of the study scope had been excluded, bibliographies of relevant articles identified from the electronic search were manually reviewed by an individual in order to identify additional pertinent studies.

Inclusion criteria were defined prior to the study in a protocol registered on PROSPERO, an international prospective register of systematic reviews (42016038107). Articles were included if they reported on a contest that focused on improving health, required participants to submit a finished design



**Figure 1** Flow chart of research study selection.

solution, contained a prize structure and had sufficiently detailed methods. After duplicate articles were removed, screening proceeded in two stages (figure 1). First, one individual reviewed the abstract and title of each article according to the criteria mentioned above. A full-text review was then conducted with two individuals independently evaluating each article. Disagreements on whether to include a full-text article were resolved by a third individual. Non-English articles were excluded during the full-text screening phase.

### Data analysis

The following data fields were independently double extracted by two individuals: citation information, study setting, target population, task assigned to contest entrants, health condition or behaviour of interest, type of contest submission, type of contest prizes, number of submissions, funding source, judging process, contest engagement metrics, evaluation outcomes of contest submission finalists and evaluation outcomes of innovation design contests among contest observers and entrants. We also extracted data on whether contest organisers were focused on the process of community engagement or the contest finalist's efficacy. Decisions regarding classification of contests as process or outcome oriented were guided by Goldhammer's report on design contests in the public sector.<sup>3</sup>

### Study quality assessment

Study quality was independently assessed by two individuals for all articles that reported health-related outcome evaluations of (1) contest submission finalists or (2) the innovation design contest itself as a tool to increase engagement.

Qualitative studies were scored using the following criteria from the Critical Appraisal Skills Programme (CASP) qualitative appraisal tool<sup>11</sup>: (1) defined aims of research, (2) qualitative research appropriate, (3) appropriate research design, (4) recruitment strategy appropriate, (5) data collection is described and appropriate, (6) relationship between researcher and participants considered, (7) ethical issues considered, (8) data analysis is described and appropriate, (9) findings described and (10) value in research. Studies could score 0 or 1 for each criterion for a maximum study quality assessment score of 10. Final scores were averages of the two individuals' independent scores.

Quantitative studies were scored using the following criteria developed from a validated quality assessment tool<sup>12</sup>: (1) defined target population, (2) probability sampling, (3) sample characteristics match the target population, (4) sufficient response rate, (5) standardised data collection, (6) reliability of data collection instrument, (7) validity of data collection instrument and (8) appropriate statistical methods. Studies could score 0 or 1 for each question for a maximum study quality

assessment score of 8. Final scores are averages of the two individuals' independent scores and normalised to a scale of 0–10. Results for specific scoring criteria are presented in online supplementary file 2.

Funnel plots were not used to assess reporting bias because data were too heterogeneous for formal meta-analysis.

### Role of the funding source

The funder of the study had no role in the study design, data collection, data analysis, data interpretation or writing of the report. The corresponding author had full access to all the data in the study and had final responsibility for the decision to submit for publication.

## RESULTS


### Process of study selection

The database search and selection of articles from references of selected studies yielded 3579 citations (figure 1). After screening abstracts, the full texts of 43 articles were reviewed by two researchers (SWP and GS). Sixteen articles were excluded during full-text screening: three lacked sufficient information about the contest,<sup>13–15</sup> one did not use primary data,<sup>16</sup> four were not innovation design contests,<sup>17–20</sup> one lacked a prize structure,<sup>21</sup> two lacked a design component,<sup>21 22</sup> one was in a language other than English<sup>23</sup> and four were about previously included contests.<sup>24–27</sup> Ultimately, 27 citations describing 29 contests were included.

### Innovation design contest characteristics

Contests were conducted in five high-income countries,<sup>28–44</sup> six middle-income countries<sup>43–47</sup> and three low-income level countries.<sup>46 48</sup> Seven contests allowed worldwide submissions.<sup>5 6 49–52</sup> In sum, 15 494 contest submissions were reported. The number of submissions ranged from 3 to 11 354, with a median of 73. Contests were intended to promote health-messaging (25 contests),<sup>5 28–49 51</sup> to improve predictive clinical models (three contests)<sup>6 50</sup> and to improve models of computational data analysis (one contest).<sup>52</sup> Health messaging contests focused on sexual health (10 contests),<sup>28 30 31 42–44 46–48</sup> cancer (3 contests),<sup>35 36 49</sup> smoking (3 contests)<sup>32–34</sup> and other topics (8 contests).<sup>5 29 37–41 45 51</sup> Fourteen studies were evaluated for study quality. One study was low quality (quality score of <8.0),<sup>48</sup> five were moderate quality (quality score between 8.0 and 9.0)<sup>5 6 33 35 41</sup> and seven were high quality (quality score of ≥9.0)<sup>32 43–45 47 50 52</sup>

The use of innovation design contests for health appears to be increasing. Since 2000, every 5-year period showed an increase in published contests (figure 2). Thirteen contests targeted individuals between 10 and 24 years of age.<sup>31–35 39–41 46 48 49 51</sup> Contest entries included videos (11 contests),<sup>28 31 33 35 37 41–45 51</sup> posters (4 contests),<sup>5 33 34 39</sup> stories (4 contests),<sup>30 31 40 46</sup> clinical algorithms (4 contests),<sup>6 50 52</sup> photos (3 contests)<sup>36 38 47</sup>



**Figure 2** Number of innovation design contests over time (n=26).

and other media (4 contests).<sup>29 33 38 49</sup> One contest allowed for multiple types (video, photo, text, so on) of submissions. Posters were defined as static visual graphics of any dimension and format. All contests provided a prize structure.<sup>5 6 28-52</sup> Out of the contests that listed prize structures, only four<sup>31 32 48</sup> had a single prize. Eighteen contests offered monetary prizes,<sup>5 6 28-35 39-42 45 50 52</sup> 13 contests<sup>5 6 28 29 31 33 39-42 46 50</sup> reported sponsorship or support from a commercial entity and 11 contests<sup>27-29 33 36 42 44 46 50 53</sup> reported receiving ethical approval. Contest finalists were selected by judging panels (20 contests),<sup>6 29 31-35 39-41 43-46 48-50 52</sup> crowd votes (one contest)<sup>37</sup> or a combination of a judging panel and crowd votes (eight contests).<sup>21 28 30 36 42 47</sup> Additional contest characteristics are shown in [table 1](#).

#### Process-oriented and outcome-oriented innovation design contests

Two distinct types of contests were identified<sup>1</sup>: outcome-oriented contests organised primarily to elicit a small number of highly innovative contest finalists and<sup>2</sup> process-oriented contests organised primarily to enhance community health knowledge and behaviours through mass engagement with the contest itself. Outcome-oriented contests focused on soliciting high-quality entries that could be directly incorporated into programmes, whereas process-oriented contests focused on attracting attention through marketing and a high volume of entries that encouraged communities to better understand the health issue of interest and spur discussion. A comparison of process-oriented and outcome-oriented innovation design contests is presented in [table 2](#).

#### Evaluation of outcome-oriented innovation design contests

Seven outcome-oriented innovation design contest studies evaluated finalist contest entries.<sup>6 43-45 50 52</sup> Six were evaluated with quantitative data,<sup>6 43 44 50 52</sup> and one was evaluated with qualitative data.<sup>45</sup> Quantitative evaluations included randomised control trials (two studies),<sup>43 44</sup> observational cohort studies (two studies)<sup>6 50</sup> and observational cross-sectional studies

(two studies).<sup>6 52</sup> Among the finalist contest entries of quantitative contests with control groups, two were superior to a control,<sup>6 44</sup> one demonstrated non-inferiority<sup>44</sup> and two had comparable results.<sup>43 50</sup> Qualitative evaluation data were based on focus group transcripts, the results of which indicated that crowdsourced contest submissions had strong potential to improve health knowledge, attitudes and behaviours.<sup>45</sup> Additional findings from the evaluation of outcome-oriented innovation design contests are presented in [table 3](#).

#### Evaluation of process-oriented innovation design contests

Seven process-oriented innovation design contest studies evaluated the effects of contests for at least one health indicator.<sup>5 32 33 35 41 47 48</sup> Measures of contest engagement varied. Three contests did not specify the type of contest engagement,<sup>33 35 48</sup> two contests measured contest engagement as observing the contest or visiting the contest website<sup>5 32</sup> and two contests measured contest engagement as submitting an entry.<sup>41 47</sup> Outcome measures included both health-related behaviours<sup>32 33 48</sup> and attitudes.<sup>5 35 41 47</sup> All six quantitative contest evaluations were based on observational data, four of which used a pre-postevaluation<sup>32 33 35 48</sup> and two of which used a post-only evaluation.<sup>5 41</sup> Of the three contest evaluations which had a comparator group,<sup>32 33 48</sup> two indicated that the innovation design contest had improved some health-related indicator<sup>33 48</sup>; results from the third evaluation failed to demonstrate that innovation design contests statistically significantly improved health-related outcomes.<sup>32</sup> Results from the one qualitative study showed that the contest had helped increase knowledge and healthy attitudes about sexual health.<sup>47</sup> Additional findings from evaluation of process-oriented innovation design contests are presented in [table 4](#).

## DISCUSSION

The use of innovation design contests for health has grown rapidly in recent years, but the pertinent academic literature remains relatively underdeveloped and lacking in standards of evaluation and reporting. This appears especially true for process-oriented innovation design contests for health. Past reviews and conceptual papers have examined how entries submitted in innovation design contests can be used to identify novel solutions to public health problems (outcome-oriented contests),<sup>4 54 55</sup> but none discussed how implementation of an innovation contest itself is able to directly impact health knowledge and attitudes through contest engagement (process-oriented contests). In contrast, business and non-profit organisations have explicitly recognised innovation design contests as an effective means of marketing and engaging with the community.<sup>3</sup>

In response to the relatively nascent literature on innovation design contests for health, we conducted

**Table 1** Contest characteristics

First author	Country	Target population	School-based	Task assigned to contest entrants	Health condition or behaviour of interest	Contest submission	Monetary prizes	Number of submissions	Received corporate support	Judging process	Health Professionals as Judges	Contest engagement metrics	Reported ethics approval
(No author) <sup>31</sup>	USA	Young people		Develop HPM	Sexually transmitted infections	Story	X	Unspecified	X	Judging panel	X	Unspecified	
(No author) <sup>31</sup>	USA	Young people		Develop HPM	Sexually transmitted infections	Video	X	Unspecified	X	Judging panel	X	Unspecified	
Beres <i>et al</i> <sup>46</sup>	Swaziland, Namibia, Kenya, Nigeria, Burkina Faso and Senegal	Young people		Develop HPM	Sexually transmitted infections	Story		11 354	X	Judging panel	X	No of submissions	X
Catalozzi <i>et al</i> <sup>48</sup>	Australia	General population		Develop HPM	Sexually transmitted infections	Video	X	69	X	Crowd voted & judging panel	X	No of submissions	X
Cella <i>et al</i> <sup>42</sup>	USA	Young people	X	Develop HPM	Smoking	Song	X	Unspecified		Judging panel	X	No of contest observers	
Chansrichavala <i>et al</i> <sup>45</sup>	Thailand	General population		Develop HPM	Meloidosis	Video	X	45		Judging panel	X	No of online views of top-ranked video	
Costello and Stolovitzky <sup>6</sup>	Worldwide	Scientific researchers		Improve predictive clinical models	Breast cancer	Clinical algorithm		52		Objective indicators & judges		No of submission	
Costello and Stolovitzky <sup>6</sup>	Worldwide	Scientific researchers		Improve predictive clinical models & protocols	Genetic diseases & conditions	Clinical algorithms & protocols	X	23	X	Objective indicators & judges	X	No of submissions	
Croghan <i>et al</i> <sup>43</sup>	USA	Young people	X	Develop HPM	Smoking	Video, audio clip or poster	X	172	X	Judging panel		No of participants and submissions	X
Davis <sup>34</sup>	USA	Young people	X	Develop HPM	Smoking	Poster	X	Unspecified		Judging panel	X	Unspecified	
Dawson <i>et al</i> <sup>45</sup>	USA	Young people		Develop HPM	Skin cancer	Video	X	55		Judging panel	X	No of submissions and online views of top-ranked video	
Hatfield <i>et al</i> <sup>49</sup>	USA	School		Develop HPM	Obesity	Physical activity programmes	X	427	X	Judging panel	X	No of video views, submissions and e-postcard distribution	X
Hall <i>et al</i> <sup>36</sup>	USA	Service delivery organisations		Develop HPM	Skin cancer	Photo		2198		Crowd voted and judging panel	X	No of photo submissions	X
Hamm <i>et al</i> <sup>47</sup>	USA	General population		Develop HPM	Unintentional poisoning	Video		Unspecified		Crowd voted		No of video views	
Hlade <sup>38</sup>	Slovenia	Patients with osteoporosis		Develop HPM	Osteoporosis	Recipe and photo		Unspecified		Unspecified		Unspecified	
Ingles-Camat <i>et al</i> <sup>49</sup>	Worldwide	Young people	X	Develop HPM	Cancer and healthy living practices	Multimedia application		3		Judging panel	X	Unspecified	
Keller <sup>48</sup>	Uganda	Young people		Develop HPM	Sexually transmitted infections	Song		80		Judging panel		Unspecified	
Kuffner <i>et al</i> <sup>50</sup>	Worldwide	Scientific researchers		Improve predictive clinical models	Anyotrophic lateral sclerosis	Clinical algorithm	X	37	X	Objective indicators and judges		No of contest registrants	X
Lakhani <i>et al</i> <sup>62</sup>	Worldwide	Scientific researchers		Improve models of computational data analysis	Immunogenomics	Clinical algorithm	X	122		Objective indicators and judges	X	No of contest submissions	
Mathews <i>et al</i> <sup>53</sup>	USA	General population		Develop HPM	Sexually transmitted infections	Story	X	39		Crowd voted and judging panel	X	No of contest submissions and social media visits	X
Merchant <i>et al</i> <sup>6</sup>	Worldwide	General population		Develop HPM	Cardiac arrest	Poster	X	119	X	Crowd voted and judging panel	X	No of contest website views, votes and behavioural pledges	

Continued

**Table 1** Continued

First author	Country	Target population	School-based	Task assigned to contest entrants	Health condition or behaviour of interest	Contest submission	Monetary prizes	Number of submissions	Received corporate support	Judging process	Health Professionals as Judges	Contest engagement metrics	Reported ethics approval
Morton <sup>39</sup>	USA	Young people	X	Develop HPM	Nutrition and obesity	Poster	X	76	X	Judging panel	X	No of contest submissions	
Rogers <i>et al</i> <sup>40</sup>	USA	Young people		Develop HPM	Type 2 diabetes	Story	X	20	X	Judging panel		No of contest submissions	
Szersputowski <sup>41</sup>	USA	Young people	X	Develop HPM	Suicide and mental illness	Video	X	371	X	Judging panel		No of video downloads and educational materials	
Shearer <i>et al</i> <sup>42</sup>	Australia	General population		Develop HPM	Sexually transmitted infections	Video	X	113	X	Crowd voted and judging panel		Unspecified	X
Zhang <i>et al</i> <sup>43</sup>	China, Hong Kong and Taiwan	Service delivery organisations		Develop HPM	Sexually transmitted infections	Video		7		Judging panel	X	No of video submission	X
Tang <i>et al</i> <sup>44</sup>	China, Hong Kong and Taiwan	Service delivery organisation		Develop HPM	Sexually transmitted infections	Video		11		Judging panel	X	No of video submission	X
Weimann <sup>51</sup>	Worldwide	Young people		Develop HPM	Hearing loss	Video		Unspecified		Unspecified		Unspecified	
Zhang <i>et al</i> <sup>43</sup>	China	General population		Develop HPM	Sexually transmitted infections	Photo		96		Crowd voted and judging panel		No of photo submissions	X

<sup>41</sup>Young people' defined as individuals between 10 and 24 years.

a systematic review that identified a wide range of health-oriented innovation design contests, including those focused on innovative outcomes (outcome-oriented contests) and those focused on the process of mass contest engagement (process-oriented contests). Our review expands on the limited crowdsourcing literature<sup>3 7 54–56</sup> by focusing specifically on innovation design contests for health, examining study quality and using a systematic review. Overall, contest evaluations indicated that innovation design contests for health were effective and low cost, but many lacked outcome or process evaluation.

Evidence from seven outcome-oriented contest studies suggests that across disparate health domains, innovation design contests for health produce novel and effective solutions. This is consistent with innovation design contests from other fields.<sup>7 8</sup> In principle, a larger and more diverse pool of problem-solvers increases the likelihood of identifying an innovative solution, often in a limited time.<sup>8 55</sup> In 5 months, one contest initiated by the National Cancer Institute received 52 submissions from 127 participating scientists worldwide and subsequently identified a novel predictive algorithm for cancer drug sensitivity that was superior to previously established models.<sup>57</sup> Findings also suggest that innovation design contests may also save more money compared with more conventional approaches.<sup>43 50</sup>

Results of five process-oriented contests indicate that innovation design contests are effective at directly enhancing health knowledge and/or behaviours, especially among young people. In one contest designed to promote sexual health in the community, condom use among young people increased from 46% to 69% before and after the contest, respectively.<sup>48</sup> These findings are consistent with data from innovation design contests in other fields.<sup>58</sup> Compared with more conventional marketing campaigns, the participatory nature of innovation design contests facilitates campaigns that may be more authentic and locally relevant.<sup>58</sup> Given that many health behaviours are often initiated during school age,<sup>59</sup> school-based innovation design contests could engage youth and create more effective health campaigns.

Few health-focused innovation design contests have been rigorously evaluated. Among the 25 health promotion messaging contests, only 3 reported an outcome evaluation of the top-ranked submissions<sup>27 43–45 47</sup> and 7 evaluated health-related impacts of the innovation design contest.<sup>5 32 33 35 41 47 48</sup> Furthermore, three quantitative evaluations of innovation design contests lacked a comparison group.<sup>5 33 41</sup> Many health promotion messaging contests reported metrics important for assessing the reach of the contest (eg, number of contest submissions, website hits and video views), but these process-oriented indicators alone were unable to assess how contests may have impacted the health indicators of individuals who interacted with the contest.

**Table 2** Comparison of process-oriented and outcome-oriented innovation design contests for health

	Process oriented	Outcome oriented
Overarching goal of contest organisers	Enhance community health knowledge and behaviours	Elicit highly innovative contest submissions
Focus during contest	Attract attention through marketing, encourage better understanding and spur discussion	Solicit high quality entries to incorporate into new programmes
Recommended judging method	Public voting	Expert-based judging panel
Recommended prize strategy	Relatively large number of prizes	Single prize or limited number of high-value prizes

Future studies of health promotion messaging contests should conceptualise the contest implementation itself as a type of intervention and at minimum use comparison groups or pre–postassessments to evaluate how the contest itself may have affected health indicators of contest observers and active contest participants.

Our review findings have implications for research and practice. Results demonstrated that design contests can be an effective strategy for eliciting novel and effective solutions to health problems and directly promoting health within specific communities. However, success of a design contest will depend on

**Table 3** Outcome evaluations of contest finalists

First author	Primary outcome measure	Evaluation study design	Primary data collection method	Comparator outcomes	Outcomes of top-ranked submission	Summary findings	Study quality Scale: 0–10
Chansrichavala <i>et al</i> <sup>45</sup>	Opinion regarding the potential use of videos to raise public awareness of melioidosis	Qualitative focus group discussion	Focus group audio recording	–	–	Top 12 video submissions had strong potential to increase public awareness of melioidosis	9.5
Costello and Stolovitzky <sup>6</sup>	Predictive accuracy of cancer drug sensitivity	Retrospective observational cohort and cross-validation of predictive algorithms	Clinical biomarkers	0.500	0.583	Finalist algorithm predicted cancer drug sensitivity significantly more accurately than random assignment ( $p < 0.0001$ )	8.1
Costello and Stolovitzky <sup>6</sup>	Identification of causal gene mutations and innovative clinical diagnostic protocols	Individual patient genomic sequencing	Clinical biomarkers	NA	NA	Finalist team identified causal genetic mutation of a rare condition and submitted innovative protocols in genome analysis, interpretation and reporting	8.1
Küffner <i>et al</i> <sup>50</sup>	Deviation of predictive algorithm of ALS disease progression from observed clinical outcomes	Retrospective observational cohort & cross-validation of predictive algorithms	Clinical biomarkers and behavioural indicators	0.559	0.544	Finalist algorithm predicted ALS disease progression more accurately than benchmark standard, but not significantly ( $p > 0.05$ ). Improvement in prediction could potentially reduce size and cost of future clinical trials.	9.4
Lakhani <i>et al</i> <sup>52</sup>	Speed and accuracy of genomic analysis	Cross-validation of analytical algorithms	Clinical biomarkers	15 616 s; 72% accuracy	16 s; 80% accuracy	Finalist algorithm analysed genomes faster and more accurately than industry standard.	9.4
Zhang <i>et al</i> <sup>43</sup>	Proportion who had HIV test after 3 months postintervention	Randomised control trial	Survey	0.35	0.37	HIV test promotion finalist video performed as well as professionally created social marketing video ( $p > 0.05$ ) and had greater cost-savings.	9.4
Tang <i>et al</i> <sup>44</sup>	Proportion who had engaged in condomless sex after 3 months postintervention	Randomised control trial	Survey	0.336	0.323	Crowdsourced sexual health image intervention achieved non-inferiority at 3 months ( $p > 0.05$ ) and had greater cost-savings compared with conventional social marketing alternative.	9.4

ALS, Amyotrophic Lateral Sclerosis.

**Table 4** Health-related effects of innovation design contests

First author	Primary outcome measure	Type of contest engagement	Evaluation study design	Comparator group	Intervention group	Summary findings	Study quality (scale: 0–10)
Cella <i>et al</i> <sup>32</sup>	Proportion of students currently smoking	Observed contest	Pre–post cross-sectional surveys	3.20%	5.70%	Proportion of students currently smoking was not statistically significantly different after observing the contest	9.4
Croghan <i>et al</i> <sup>33</sup>	Number of teens in smoking cessation programmes	Unspecified	Pre–postevaluation of routinely collected data	Baseline reference	Increase of 58%	More teens in the community participated in smoking cessation programmes after the contest	8.1
Dawson <i>et al</i> <sup>35</sup>	Rate of online sun safety videos viewed	Unspecified	Pre–postevaluation of routinely collected data	Unspecified	Unspecified	Online views of top-ranked videos were not statistically significantly different after the top-ranked submissions were announced	8.1
Keller <sup>48</sup>	Proportion of young people using condoms	Unspecified	Pre–post cross-sectional survey	46%	69%	Proportion of young people in the community using condoms increased after the HIV prevention campaign, which the contest was a part of	5.0
Merchant <i>et al</i> <sup>5</sup>	No of individuals who pledged to use an AED if needed	Visited contest website	Post-only survey	–	414	A substantial number of contest observers committed to using AEDs if needed during the contest	8.8
Sczersputowski <sup>41</sup>	Proportion of students who felt that the contest inspired them to change the way they think about mental health and suicide prevention	Submitted contest submission	Post-only survey	–	92.90%	Majority of students said the contest inspired them to change how they think about mental health and suicide prevention after the contest	8.1
Zhang <i>et al</i> <sup>47</sup>	Knowledge and attitudes about sexual health	Submitted contest submission, shared ideas about contest with family/friends, helped with organisation or promotion of contest	Semistructured interviews	–	–	Contest helped increase knowledge and healthy attitudes about sexual health among people who interacted with the contest	9.0

AED, automated external defibrillator.

key decisions concerning contest design and implementation. Generally, contests should be customised according to organiser's strategic goals.<sup>3</sup> For example, if organisers were chiefly concerned with maximising awareness among a large population (ie, a process-oriented contest), then it may be beneficial to use public voting rather than a judging panel and to have a greater number of prizes rather than a single prize.<sup>3</sup> However, a single prize of high-value may be more useful for identifying technical solutions to a specific design problem (ie, outcome-oriented contest). In any case, contest organisers must ensure that the complexity of the design task is commensurate with participant motivations, incentives and resources.<sup>3</sup> Given the private sector's experience with design contests,

greater interdisciplinary collaboration between business and public health sectors may improve success of design contests for health. Finally, as innovation design contests for health are applied with increasing frequency in the future, it is important that norms for reporting about contest details be established. [Table 5](#) enumerates a list of potential data types for future studies to report.

Our review has several limitations. First, publication bias may have led to under-representation of innovation design contests with poor effectiveness. Nonetheless, we were still able to identify studies in which the contest finalist failed to demonstrate significant improvement<sup>50</sup> and in which the contest failed to provide evidence of improving a health-related



**Table 5** Potential data to report for health innovation design contest research studies

All contests	Outcome oriented contest studies	Process-oriented contest studies
Contest organiser objectives	Outcome measures for top-ranked submission(s)	Outcome measures for contest participants who submit entries
Location & target population	Outcome measures for lower-ranked submissions	Outcome measures for contest observers who do not directly submit entries
Study design	Skills required to submit entry	Contest engagement metrics
Data collection and analysis methods		
Ethics approval		
Health condition or behaviour of interest		
Prize structure and type of prizes awarded		
Number of submissions		
Judging process		
Comparison group(s) outcome measures		
Mode(s) of contest dissemination & submission		

outcome.<sup>32 35</sup> Second, innovation design contests remain a relatively new research field in the health sciences, and a lack of established terminology may have led to inadvertent exclusion of innovation design contest studies that used descriptors not included in our search. However, by reviewing 3579 citations extracted from multiple databases in a wide search, we are confident that this study is among the most comprehensive reviews of published health innovation design contests to date. Third, high heterogeneity in outcomes between studies precluded us from conducting more precise quantitative analyses, such as a meta-analysis. Nonetheless, evidence from 12 of 14 evaluation studies strongly suggests that health innovation design contests are overall an effective strategy for developing novel health solutions and promoting healthy behaviours.

In conclusion, health-focused innovation design contests may help to create effective, low-cost health campaigns. Several US government leaders have realised this opportunity, introducing legislation to expand health-focused innovation design contests. For example, the recently funded '21st Century Cures Act' mandates health-focused innovation design contests to be organised by the US National Institutes of Health.<sup>60 61</sup> Similar government initiatives to support contests in the UK,<sup>62</sup> Canada<sup>63</sup> and Taiwan<sup>64</sup> suggest that innovation design contests for health have traction. Health-focused innovation design contests may help organisations to design more people-centred public health programmes.

**Acknowledgements** We would like to thank Jennifer Walker for her assistance with conducting the literature search. We would also like to thank the two anonymous reviewers for their feedback.

**Contributors** JDT conceptualised the study. SWP, GS and JDT drafted the manuscript and provided substantial contribution to data acquisition and data interpretation. BB, WT, AM, C Wang and C Wei provided substantial contribution to the interpretation of data and revising the letter for important intellectual content. All authors approved the final version of the manuscript to be published and accept accountability for all aspects of the letter.

**Funding** This study was supported by the National Institutes of Health Fogarty International Center (R25TW009340).

**Competing interests** None declared.

**Provenance and peer review** Not commissioned; externally peer reviewed.

© Article author(s) (or their employer(s) unless otherwise stated in the text of the article) 2017. All rights reserved. No commercial use is permitted unless otherwise expressly granted.

## REFERENCES

- Brownstein CA, Beggs AH, Homer N, *et al.* An international effort towards developing standards for best practices in analysis, interpretation and reporting of clinical genome sequencing results in the CLARITY Challenge. *Genome Biol* 2014;15:R53.
- Cadet JV, Andrews E. Hospital BCsIn: , Taking on tomorrow: innovations at boston children's hospital. [http://www.childrenshospital.org/~media/Research%20and%20Innovation/National%20Pediatric%20Innovation%20Summit%202013/Innovationsreport\\_Final.ashx2015](http://www.childrenshospital.org/~media/Research%20and%20Innovation/National%20Pediatric%20Innovation%20Summit%202013/Innovationsreport_Final.ashx2015)
- Goldhammer J, Mitchell K, Parker A, *et al.* *The craft of incentive prize design: lessons from the public sector*: Deloitte University Press, 2014.
- Brabham DC, Ribisl KM, Kirchner TR, *et al.* Crowdsourcing applications for public health. *Am J Prev Med* 2014;46:179–87.
- Merchant RM, Griffis HM, Ha YP, *et al.* Hidden in plain sight: a crowdsourced public art contest to make automated external defibrillators more visible. *Am J Public Health* 2014;104:2306–12.
- Costello JC, Stolovitzky G. Seeking the wisdom of crowds through challenge-based competitions in biomedical research. *Clin Pharmacol Ther* 2013;93:396–8.
- Adamczyk S, Bullinger AC, Möslein KM. Innovation contests: a review, classification and outlook. *Creativity and Innovation Management* 2012;21:335–60.
- Morgan J, Wang R. Tournaments for Ideas. *Calif Manage Rev* 2010;52:77–97.
- Moher D, Liberati A, Tetzlaff J, *et al.* Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Int J Surg* 2010;8:336–41.
- Higgins JP, Green S. *Cochrane Handbook for Systematic Reviews of Interventions*: Wiley Online Library, 2008.

- 11 UK C. *10 questions to help you make sense of qualitative research*.
- 12 Owens DK, Lohr KN, Atkins D, *et al*. AHRQ series paper 5: grading the strength of a body of evidence when comparing medical interventions—agency for healthcare research and quality and the effective health-care program. *J Clin Epidemiol* 2010;63:513–23.
- 13 Shrivastav R, Chatterjee M, Sharma N, *et al*. PT314 motivating Indian youth to embrace walking-the ground miles challenge. *Glob Heart* 2014;9:e227.
- 14 Mheni H. National school health day in Tunisia. *J Sch Health* 1987;57:13.
- 15 An Indonesian self-help group fights a winning battle against alcohol, drugs and STDs. *Adolesc Educ Newsl* 1999;2:1.
- 16 Jj K, Karagiannis TS, Tran M, *et al*. Crowdsourcing healthcare technology innovation: the use of open competitions to pursue novel healthcare technology solutions. *Value in Health* 2015;18:A101.
- 17 Rogers EA, Fine SC, Handley MA, *et al*. Engaging minority youth in diabetes prevention efforts through a participatory, spoken-word social marketing campaign. *Am J Health Promot* 2017;31.
- 18 Rogers EA, Fine SC, Handley MA, *et al*. Engaging minority youth in diabetes prevention efforts through a participatory, spoken-word social marketing campaign. *Am J Health Promot* 2017;31.
- 19 Paivinen H, Bade S. Voice: challenging the stigma of addiction; a nursing perspective. *Int J Drug Policy* 2008;19:214–9.
- 20 Vance K, Howe W, Dellavalle RP. Social internet sites as a source of public health information. *Dermatol Clin* 2009;27:133–6.
- 21 Merchant RM, Asch DA, Hershey JC, *et al*. A crowdsourcing innovation challenge to locate and map automated external defibrillators. *Circ Cardiovasc Qual Outcomes* 2013;6:229–36.
- 22 Roy-Burman A, Lightbody L, Lynch M, *et al*. Engaging nurses through social gamification. *Crit Care Med* 2013;14.
- 23 Kremer R. "bunt statt blau" – Kunst gegen "Komasaufen" Suchtprävention am Beispiel eines Plakatwettbewerbs der DAK-Gesundheit. . Heruntergeladen von: Johns Hopkins University Urheberrechtlich geschützt, 2013:18. 4.
- 24 Social media for skin cancer prevention messaging: an update on the sun safety video contest. *Journal of the American Academy of Dermatology* 2012;66:AB84.
- 25 Dawson ALH AA, Huff LS, Gamble RG, *et al*. Sun safety video contest: promoting skin cancer prevention through online media. *Investigative Dermatology*;66:AB84.
- 26 Zhang Y, Kim JA, Liu F, *et al*. Creative contributory contests to spur innovation in sexual health: 2 cases and a guide for implementation. *Sex Transm Dis* 2015;42:625–8.
- 27 Tang W, Han L, Best J, *et al*. Crowdsourcing HIV test promotion videos: a noninferiority randomized controlled trial in China. *Clin Infect Dis* 2016;62:1436–42.
- 28 Catalozzi M, Ebel SC, Chávez NR, *et al*. Understanding perceptions of genital herpes disclosure through analysis of an online video contest. *Sex Transm Infect* 2013;89:650–2.
- 29 Hatfield DP, Lynskey VM, Economos CD, *et al*. Crowdsourcing innovative physical activity programs: active schools acceleration project case study. *Translational Journal of the American College of Sports Medicine* 2016;1:1–9.
- 30 Mathews A, Conserve DF, Hightow-Weidman LB, *et al*. *What does HIV cure mean to you?": a pilot crowdsourcing contest to improve HIV cure research community engagement*, 2016.
- 31 Fourth annual national HIV/AIDS youth story-writing and video contests. *AIDS Patient Care STDS* 2007;21:784–5.
- 32 Cella DF, Tulsy DS, Sarafian B, *et al*. Culturally relevant smoking prevention for minority youth. *J Sch Health* 1992;62:377–80.
- 33 Croghan IT, Campbell HM, Patten CA, *et al*. A contest to create media messages aimed at recruiting adolescents for stop smoking programs. *J Sch Health* 2004;74:325–8.
- 34 Davis RM. Kids campaign against tobacco. *Tob Control* 2003;12:243–4.
- 35 Dawson AL, Hamstra AA, Huff LS, *et al*. Online videos to promote sun safety: results of a contest. *Dermatol Reports* 2011;3:9.
- 36 Hall D, Kline M, Glanz K. Analysis of participatory photojournalism in a widely disseminated skin cancer prevention program. *Health Promot Pract* 2011;12:666–72.
- 37 Hamm KM, Simeonov IM, Stein JA, *et al*. A community based mobile video challenge. *Clinical Toxicology*;50:629.
- 38 Hlade DZ. *Fight osteoporosis-move, eat, learn*. 23: Osteoporosis International:S324.
- 39 Morton S, Tuff R, Beckwith K, *et al*. A children's poster contest on healthy eating. *Californian Journal of Health Promotion* 2015;3:70–2.
- 40 Rogers EA, Fine S, Handley MA, *et al*. Development and early implementation of the bigger picture, a youth-targeted public health literacy campaign to prevent type 2 diabetes. *J Health Commun* 2014;19 Suppl 2:144–60.
- 41 Sczersputowski J. *California Students Direct Change for Suicide Prevention and Mental Health: Outcomes from a Statewide Student Video Contest in California*.
- 42 Shearer LS, Simmons L, Mindel A, *et al*. Reducing the stigma of herpes simplex virus infection: lessons from an online video contest. *Sex Health* 2012;9:438–44.
- 43 Zhang WS, Tso D, Tang L, *et al*; *Innovation Contests to Promote Sexual Health in China: A Qualitative Evaluation*, 2016.
- 44 Tang WMJ, Liu C, Mollan K, *et al*, 2016. Reimagining health communication: a non-inferiority randomized controlled trial of crowdsourcing in China. 21st International AIDS conference poster exhibition
- 45 Chansrichavala P, Wongsuwan N, Suddee S, *et al*. Public awareness of melioidosis in Thailand and potential use of video clips as educational tools. *PLoS One* 2015;10:e0121311.
- 46 Beres LK, Winskell K, Neri EM, *et al*. Making sense of HIV testing: social representations in young Africans' HIV-related narratives from six countries. *Glob Public Health* 2013;8:890–903.
- 47 Zhang WS, Tso D, Tang L, *et al*. *Innovation Contests to Promote Sexual Health in China: A Qualitative Evaluation*, 2016.
- 48 Keller S. Media can contribute to better health. *Netw Res Triangle Park N C* 1997;17:29–31.
- 49 Inglés-Camats G, Presno-Rivas MM, Antonijoan M, *et al*. Yummy tricks: a serious game for learning healthy eating habits. *Stud Health Technol Inform* 2012;172:185–90.
- 50 Küffner R, Zach N, Norel R, *et al*. Crowdsourced analysis of clinical trial data to predict amyotrophic lateral sclerosis progression. *Nat Biotechnol* 2015;33:51–7.
- 51 Weimann G. Winners named in BHSM video contest. *ASHA Leader*;15:31–1.

- 52 Lakhani KR, Boudreau KJ, Loh PR, *et al.* Prize-based contests can provide solutions to computational biology problems. *Nat Biotechnol* 2013;31:108–11.
- 53 Mathews A, Conserve DF, Hightow-Weidman LB, *et al.*; *What Does HIV Cure Mean to You?": A Pilot Crowdsourcing Contest to Improve HIV Cure Research Community Engagement*, 2016.
- 54 Ranard BL, Ha YP, Meisel ZF, *et al.* Crowdsourcing\_harnessing the masses to advance health and medicine, a systematic review. *J Gen Intern Med* 2014;29:187–203.
- 55 Parvanta C, Roth Y, Keller H. Crowdsourcing 101: a few basics to make you the leader of the pack. *Health Promot Pract* 2013;14:163–7.
- 56 *And the winner Is.: capturing the promise of philanthropic prizes*: Mckinsey & Company, 2009.
- 57 Costello JC, Heiser LM, Georgii E, *et al.* A community effort to assess and improve drug sensitivity prediction algorithms. *Nat Biotechnol* 2014;32:1202–12.
- 58 Lawrence B, Fournier S, Brunel F. When companies don't make the Ad: a multimethod inquiry into the differential effectiveness of consumer-generated advertising. *J Advert* 2013;42:292–307.
- 59 Banspach S, Zaza S, Dittus P, *et al.* CDC grand rounds: adolescence-preparing for lifelong health and wellness. *MMWR Morb Mortal Wkly Rep* 2016;65:759–62.
- 60 *H.R.34 - 21st century cures act*, 2016:114–255.
- 61 Carter C. EUREKA act passes senate, headed to POTUS desk: newsMS. 2016. <http://newsms.fm/eureka-act-passes-senate-headed-to-potus-desk/>
- 62 NHS innovation challenge prizes >>about. 2017. <https://www.england.nhs.uk/challengeprizes/about/>
- 63 What is grand challenges Canada? grand challenges Canada. <http://www.grandchallenges.ca/who-we-are/>.
- 64 Government T. Taipei Government Present at "Health and Internet of Things" Hackathon Closing Ceremony. <http://www.gov.taipei/ct.asp?xItem=229234369&ctNode=51920&mp=100001>



# Systematic review of innovation design contests for health: spurring innovation and mass engagement

Stephen W Pan, Gabriella Stein, Barry Bayus, Weiming Tang, Allison Mathews, Cheng Wang, Chongyi Wei and Joseph D Tucker

*BMJ Innov* published online September 27, 2017

---

Updated information and services can be found at:

<http://innovations.bmj.com/content/early/2017/09/27/bmjinnov-2017-000203>

---

*These include:*

## References

This article cites 41 articles, 3 of which you can access for free at: <http://innovations.bmj.com/content/early/2017/09/27/bmjinnov-2017-000203#ref-list-1>

## Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

---

**Errata** An erratum has been published regarding this article. Please see [next page](#) or: </content/4/1/4.full.pdf>

## Notes

---

To request permissions go to:

<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:

<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:

<http://group.bmj.com/subscribe/>

## **Correction: *Systematic review of innovation design contests for health: spurring innovation and mass engagement***

---

Pan SW, Stein G, Bayus B, et al. Systematic review of innovation design contests for health: spurring innovation and mass engagement. *BMJ Innov* 2017;3:227–37.

The funding statement for this article should read: This study was supported by the US National Institutes of Allergy and Infectious Diseases (NIAD1R01AI114310) and Fogarty International Center (R25TW009340).

© Article author(s) (or their employer(s) unless otherwise stated in the text of the article) 2018. All rights reserved. No commercial use is permitted unless otherwise expressly granted.

*BMJ Innov* 2018;4:4. doi:10.1136/bmjinnov-2017-000203corr1

